



JANUARY 1, 2016 | PRICE CATALOG

GASTITE ISOMETRIC



# Contents...

Gastite® Introduction.....	Page 3
Gastite® Corrugated Stainless Steel Tubing (CSST).....	Page 4
FlashShield™ Introduction .....	Page 5
FlashShield™ Corrugated Stainless Steel Tubing (CSST) .....	Page 6
XR3 Straight Fittings .....	Page 7
XR3 Termination Fittings .....	Page 8
XR3 Appliance Stub-Outs.....	Page 9
Manifolds .....	Page 9
Mounting Hardware .....	Page 10
Pipe Supports .....	Page 10
Bonding Clamps .....	Page 10
Shut-Off Valves .....	Page 11
Strike Protection .....	Page 11
Quick Connect & Accessories .....	Page 11
Tubing Cutters & Accessories .....	Page 12
Regulators .....	Page 12
Underground Piping & Accessories .....	Page 13
Warranty .....	Page 17

---

## Summary of Changes new to the January 2016 edition of this Price Catalog:

*The following items have been added to our product line:*

Part No.	Description
XR3	Fittings, Tees, and Couplings with enhanced metal locking feature for continuity

---

## Gastite Freight Terms:

Freight will be prepaid to one location on orders of \$4,000 or more net. All shipments are F.O.B. origin unless stated differently on the face of the order or contract. Title of goods shall pass to the Buyer upon delivery to the carrier at the factory. Unless otherwise specified by the Buyer shipments will be made by the route and manner desired most favorable to Gastite Division, and Gastite Division shall not be responsible for the failure to use any lower rate available. Any premium freight charges will be borne by the buyer. Any shortage or damaged goods must be noted in detail on the Bill of Lading at time of receipt and signed by the person receiving the material. Customer Service in Portland, Tennessee (1-800-662-0208) must be notified within five (5) business days on shortages and/or damaged goods for credit and/or return authorization to be valid.

**Upon ordering, all broken box quantities are subject to a 10% premium except the 1-1/2" and 2" products.**



### ***Gastite® – The Flexible Alternative***

***Now the most difficult piping jobs can be accomplished with ease and speed.***

#### **PRODUCT DESCRIPTION**

Gastite® is CSA design certified to ANSI LC1 for "Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing (CSST)." CSST supplies natural gas or liquefied petroleum gas (LP gas) to appliances. Simple hand tools such as tubing cutters, wrenches and utility knives are all that are needed to work with the Gastite® components. Gastite® is a reliable, cost-effective system that can be installed in all modes of construction: residential, commercial and industrial; new construction and retrofits.

#### **CODES AND SPECIFICATIONS**

Recognized as a fuel gas piping material since 1988, Gastite® complies with ANSI LC1 for "Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing (CSST)."

The Gastite® system is listed by several independent third party laboratories and is recognized by model building codes throughout North America.

#### **FEATURES AND BENEFITS**

- Flexibility means quick and easy installations. Gastite® installs 30-70% faster than traditional piping methods.
- Pre-marked by the foot, there's no measuring, rigid pipe cutting or threading. This means less waste and fewer fittings.
- 75% fewer fittings in the average installation means a safer system, less leak potential and reduced callbacks.
- Gastite® CSST is lightweight – 250 feet of 1/2" CSST weighs approximately 38 pounds and can be easily transported and handled on the job.
- Custom lengths of tubing and job-specific accessories for those large and multi-family projects can be easily obtained by a simple telephone call.

***Customer Service and Technical Support are only a phone call away at 1-800-662-0208.***

Add a 7% premium for all special coil lengths.



**CSST**

<b>CORRUGATED STAINLESS STEEL TUBING (CSST)</b>		<b>Pkg. Qty.</b>	<b>Lbs.</b>	<b>Reel Size</b> <b>(Dia. X Width)</b>	<b>List Price/Ft.</b>	
<b>CSST</b>	<b>Part No.</b>	<b>Description</b>				
	<b>S93-6A4-250</b>	<b>3/8" Corrugated Stainless Steel Tubing</b>	<b>250 Ft/Coil</b>	<b>28.0</b>	<b>20" x 12-1/2"</b>	<b>\$4.75</b>
	S93-6A4-50 *		50 Ft/Box	4.3	21" x 6"	\$5.01
	S93-6A4-125		125 Ft/Coil	17.5	20" x 12-1/2"	\$4.75
	S93-6A4-500		500 Ft/Coil	50.0	20" x 12-1/2"	\$4.75
	S93-6A4-1000		1,000 Ft/Coil	94.0	20" x 21"	\$4.75
	<b>S93-8A4-250</b>	<b>1/2" Corrugated Stainless Steel Tubing</b>	<b>250 Ft/Coil</b>	<b>38.0</b>	<b>20" x 12-1/2"</b>	<b>\$5.33</b>
	S93-8A4-50 *		50 Ft/Box	6.2	21" X 6"	\$5.62
	S93-8A4-125		125 Ft/Coil	22.2	20" X 12-1/2"	\$5.33
	S93-8A4-500		500 Ft/Coil	69.0	21" x 21"	\$5.33
	S93-8A4-1000		1,000 Ft/Coil	140.0	32" x 21-1/2"	\$5.33
	S93-8A4-1500		1,500 Ft/Coil	200.0	32" x 21-1/2"	\$5.33
	<b>S93-11B4-250</b>	<b>3/4" Corrugated Stainless Steel Tubing</b>	<b>250 Ft/Coil</b>	<b>47.7</b>	<b>20" x 21"</b>	<b>\$6.94</b>
	S93-11B4-50 *		50 Ft/Box	7.7	21" x 6"	\$7.30
	S93-11B4-125		125 Ft/Coil	26.0	20" x 12-1/2"	\$6.94
	S93-11B4-500		500 Ft/Coil	87.1	24" x 25"	\$6.94
	S93-11B4-1000		1,000 Ft/Coil	170.4	32" x 21-1/2"	\$6.94
	<b>S93-16A4-150</b>	<b>1" Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>42.3</b>	<b>20" x 21"</b>	<b>\$9.87</b>
	S93-16A4-50*		50 Ft/Box	18.1	21" x 6"	\$10.55
	S93-16A4-75		75 Ft/Coil	23.8	20" x 12-1/2"	\$9.87
	S93-16A4-300		300 Ft/Coil	78.4	24" x 25"	\$9.87
	S93-16A4-500		500 Ft/Coil	130.8	32" x 21-1/2"	\$9.87
	<b>S93-20A4-150</b>	<b>1-1/4" Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>60.0</b>	<b>24" x 25"</b>	<b>\$12.37</b>
	S93-20A4-50*		50 Ft/Box	22.1	21" x 6"	\$13.23
	S93-20A4-75		75 Ft/Coil	30.0	20" x 21"	\$12.37
	S93-20A4-300		300 Ft/Coil	103.8	32" x 21-1/2"	\$12.37
	<b>S93-24A4-150</b>	<b>1-1/2" Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>76.6</b>	<b>24" x 25"</b>	<b>\$21.70</b>
	S93-24A4-50		50 Ft/Coil	29.4	20"x12-1/2"	\$23.24
	S93-24A4-75		75 Ft/Coil	35.5	20" x 21"	\$21.70
	S93-24A4-300		300 Ft/Coil	125.7	32" x 21-1/2"	\$21.70
	<b>S93-32A4-150</b>	<b>2" Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>143</b>	<b>32" x 21-1/2"</b>	<b>\$31.22</b>
	S93-32A4-50		50 Ft/Coil	39.5	20"x12-1/2"	\$33.42
	S93-32A4-75		75 Ft/Coil	89	24" x 25"	\$31.22
	S93-32A4-300		300 Ft/Coil	194.0	40" x 27-1/2"	\$31.22

\* Packaged in box.

*Please contact Gastite Customer Service for custom lengths.*

#### APPLICATION

- CSST flexible gas piping supplies natural gas or liquefied petroleum gas to appliances.

#### MATERIAL / SPECIFICATIONS

- Tubing: ASTM A240 Type 304 Stainless Steel.
- Jacket: UV resistant Polyethylene complying with requirements of ASTM E84 25/50 Index for Flame and Smoke.

#### FEATURES AND BENEFITS

- Flexibility and durability allows for simple routing through complex building structures and designs.
- Pre-marked by the foot for easy measuring and installation.
- Minimum tubing wall thickness of .010 on all sizes is more robust than other brands of CSST.
- Annealed 304 stainless steel makes tubing more flexible than brands not heat-treated.



### ***FlashShield™ – Metallically shielded flexible gas piping***

#### **PRODUCT DESCRIPTION**

FlashShield™ is CSA design certified to ANSI LC1 for “Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing (CSST).” CSST supplies natural gas or liquefied petroleum gas (LP gas) to appliances. Simple hand tools such as tubing cutters, wrenches and utility knives are all that are needed to work with the FlashShield™ components. FlashShield™ is a reliable, cost-effective system that can be installed in all modes of construction: residential, commercial and industrial; new construction and retrofits.

FlashShield™ is a metallically shielded CSST product designed to create a lightning-resistant system. We started with a unique layer of metal shield, which is designed to dissipate heat and electricity. Then we placed the shield between two polymer jackets. To complete the system, we redesigned our fittings to ensure seamless continuity with the shield. The XR3 fittings are designed with a patented feature that contacts the metal shield. This creates electrical continuity throughout the system. The FlashShield™ system eliminates the need for manufacturer required bonding. The fitting’s sealing surface does not sit on the cut end of the tubing. The XR3 fitting requires minimal torque for easy fitting installation. With no o-rings or gaskets, the reusable brass components provide a reliable metal-to-metal installation.

Recognized as a fuel gas piping material, FlashShield™ CSST complies with ANSI LC1 for “Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing (CSST).”

The FlashShield™ system is listed by several independent third party laboratories and is recognized by model building codes throughout North America.



#### **FEATURES AND BENEFITS**

- FlashShield is the only CSST product that meets the ICC-ES PMG LC1027 test criteria.
- The only metallically shielded CSST.
- Metal shield layer dissipates electricity.
- XR3 - Shield-to-fitting enhanced continuity.
- Two jackets of semi-conductive polymer.
- No manufacturer required bonding.
- No special routing requirements or restrictions.
- Flexibility means quick and easy installations. FlashShield™ installs 30-70% faster than traditional piping methods.
- Pre-marked by the foot, there's no measuring, rigid pipe cutting or threading. This means less waste and fewer fittings.
- 75% fewer fittings in the average installation means a safer system, less leak potential and reduced callbacks.
- FlashShield™ CSST is lightweight – 250 feet of 1/2" CSST weighs approximately 50 pounds and can be easily transported and handled on the job.
- Custom lengths of tubing and job-specific accessories for those large and multi-family projects can be easily obtained by a simple telephone call.

***Customer Service and Technical Support are only a phone call away at 1-800-662-0208.***

Add a 7% premium for all special coil lengths.



<b>FLASHSHIELD™ CORRUGATED STAINLESS STEEL TUBING (CSST)</b>		<b>Pkg. Qty.</b>	<b>Lbs.</b>	<b>Reel Size (Dia. x Width)</b>	<b>List Price/Ft.</b>
<b>Part No.</b>	<b>Description</b>				
<b>FS-8-250</b>	<b>1/2" FlashShield™ Corrugated Stainless Steel Tubing</b>	<b>250 Ft/Coil</b>	<b>49.5</b>	<b>20" x 12-1/2"</b>	<b>\$5.92</b>
FS-8-50 *		50 Ft/Box	8.3	21" x 6"	\$6.25
FS-8-125		125 Ft/Coil	28.8	20" x 12-1/2"	\$5.92
FS-8-500		500 Ft/Coil	95	24" x 25"	\$5.92
FS-8-1000		1,000 Ft/Coil	187	32" x 21-1/2"	\$5.92
FS-8-1500		1,500 Ft/Coil	270	32" x 21-1/2"	\$5.92
<b>CSST</b>					
<b>FS-11-250</b>	<b>3/4" FlashShield™ Corrugated Stainless Steel Tubing</b>	<b>250 Ft/Coil</b>	<b>64.3</b>	<b>24" x 25"</b>	<b>\$7.71</b>
FS-11-50*		50 Ft	10.5	21" X 6"	\$8.11
FS-11-125		125 Ft/Coil	34.1	20" X 12-1/2"	\$7.71
FS-11-500		500 Ft/Coil	116.5	24" x 25"	\$7.71
FS-11-1000		1,000 Ft/Coil	230	32" x 21-1/2"	\$7.71
<b>FS-16-150</b>	<b>1" FlashShield™ Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>58.1</b>	<b>24" x 25"</b>	<b>\$10.95</b>
FS-16-50*		50 Ft	23.4	20" x 12-1/2"	\$11.72
FS-16-75		75 Ft/Coil	31	20" x 12-1/2"	\$10.95
FS-16-300		300 Ft/Coil	104.1	24" x 25"	\$10.95
FS-16-500		500 Ft/Coil	174.5	32" x 21-1/2"	\$10.95
<b>FS-20-150</b>	<b>1-1/4" FlashShield™ Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>69.0</b>	<b>24" x 26-1/2"</b>	<b>\$13.73</b>
FS-20-50		50 Ft/Coil	28.0	21" x 12"	\$14.70
FS-20-75		75 Ft/Coil	37.0	21" x 12"	\$13.73
FS-20-300		300 Ft/Coil	135.0	32" x 24-1/2"	\$13.73
<b>FS-24-150</b>	<b>1-1/2" FlashShield™ Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>91.0</b>	<b>24" x 26"</b>	<b>\$24.09</b>
FS-24-50		50 Ft/Coil	35.0	21" x 20"	\$25.75
FS-24-75		75 Ft/Coil	48.0	21" x 20"	\$24.09
FS-24-300		300 Ft/Coil	177.0	24" x 26.5"	\$24.09
<b>FS-32-150</b>	<b>2" FlashShield™ Corrugated Stainless Steel Tubing</b>	<b>150 Ft/Coil</b>	<b>143.0</b>	<b>36" x 26.5"</b>	<b>\$34.65</b>
FS-32-50		50 Ft/Coil	72.0	36" x 26.5"	\$37.08
FS-32-75		75 Ft/Coil	89.0	36" x 26.5"	\$34.65

\* Packaged in box. Please contact Gastite Customer Service for custom lengths.

## APPLICATION

CSST flexible gas piping supplies natural gas or liquefied petroleum gas to appliances.

## MATERIAL / SPECIFICATIONS

Tubing: ASTM A240 Type 304 Stainless Steel.

Jacket: UV resistant and complies with requirements of ASTM E84 25/50 index for flame and smoke.

Protective jacket system, complies with ICC-ES PMG LC1024, and LC 1027

## FEATURES AND BENEFITS

- Metallically shielded CSST.
- Protective shield is electrically continuous through fitting joints.
- Metal shield layer dissipates and conducts electricity.
- No manufacturer required bonding.
- No special routing restrictions.
- Annealed 304 stainless steel makes tubing more flexible than brands not heat-treated.
- Minimum tubing wall thickness of .01" on all sizes is more robust than other brands of CSST.
- Flexibility means quick and easy installations. FlashShield™ installs 30-70% faster than traditional piping methods.
- Pre-marked by the foot, there's no measuring, rigid pipe cutting or threading. This means less waste and fewer fittings.
- 75% fewer fittings in the average installation means a safer system, less leak potential and reduced callbacks.
- FlashShield™ CSST is lightweight – 250 feet of 1/2" CSST weighs approx. 50 lbs and can be easily transported and handled on the job.
- Call Customer Service for custom lengths of tubing and job-specific accessories.

**Upon ordering, all broken box quantities are subject to a 10% premium.**



**STRAIGHT FITTING**

#### **XR3 STRAIGHT FITTING (ADAPTER/NUT/BUSHING)**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR2FTG-6-24	3/8" Straight Fitting - 1/2" NPT	24/Box	5.3	\$19.30
XR3FTG-8-24	1/2" Straight Fitting - 1/2" NPT	24/Box	7.2	\$22.01
XR3FTG-11-24	3/4" Straight Fitting - 3/4" NPT	24/Box	10.4	\$30.27
XR3FTG-16-12	1" Straight Fitting - 1" NPT	12/Box	7.9	\$46.78
XR3FTG-20-6	1-1/4" Straight Fitting - 1-1/4" NPT	6/Box	6.2	\$89.53
XR3FTG-24-4	1-1/2" Straight Fitting - 1-1/2" NPT	4/Box	6.2	\$181.80
XR3FTG-32-4	2" Straight Fitting - 2" NPT	4/Box	9.5	\$212.37



**REDUCING FITTING**

#### **XR3 REDUCING FITTING (ADAPTER/NUT/BUSHING)**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR3REDFTG-11-08-24	3/4" FlashShield™ Reducing Fitting - 1/2" NPT	24/Box	9.6	\$46.44
XR3REDFTG-16-12-12	1" FlashShield™ Reducing Fitting - 3/4" NPT	12/Box	7.7	\$69.34



**STRAIGHT FEMALE FITTING**

#### **XR3 STRAIGHT FEMALE FITTING (ADAPTER/NUT/BUSHING)**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR3FTGFM-8-24	1/2" FlashShield™ Straight Fitting - 1/2" Female NPT	24/Box	7.6	\$22.01
XR3FTGFM-11-8-24	3/4" FlashShield™ Straight Fitting - 1/2" Female NPT	24/Box	11.2	\$32.37
XR3FTGFM-11-24	3/4" FlashShield™ Straight Fitting - 3/4" Female NPT	24/Box	11.2	\$30.27



**TEE FITTING**

#### **XR3 TEE FITTINGS**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR3T-8-12	1/2" Run x 1/2" Run x 1/2" Tee - Tee Fitting	12/Box	10.8	\$68.46
XR3T-11-12	3/4" Run x 3/4" Run x 3/4" Tee - Tee Fitting	12/Box	16.5	\$94.92
XR3T-16-6	1" Run x 1" Run x 1" Tee - Tee Fitting	6/Box	13.4	\$190.02
XR3T-11-8-8-6	3/4" Run x 1/2" Run x 1/2" Tee - Tee Fitting	6/Box	7.3	\$80.12
XR3T-11-11-8-6	3/4" Run x 3/4" Run x 1/2" Tee - Tee Fitting	6/Box	7.6	\$94.07
XR3T-16-11-8-6	1" Run x 3/4" Run x 1/2" Tee - Tee Fitting	6/Box	9.4	\$159.36
XR3T-16-11-11-6	1" Run x 3/4" Run x 3/4" Tee - Tee Fitting	6/Box	5.4	\$132.60
XR3T-16-16-8-6	1" Run x 1" Run x 1/2" Tee - Tee Fitting	6/Box	10.5	\$144.85
XR3T-16-16-11-6	1" Run x 1" Run x 3/4" Tee - Tee Fitting	6/Box	6.5	\$159.10



**TERMINATION FITTING WITH SQUARE FLANGE**

#### **XR3 TERMINATION FITTING (FLANGE/ADAPTER/NUT/BUSHING)**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR2TRM-6-12	3/8" Term. Fitting w/ Square Flange - 1/2" NPT	12/Box	6.4	\$29.38
XR3TRM-8-12	1/2" Term. Fitting w/ Square Flange - 1/2" NPT	12/Box	10.0	\$30.11
XR3TRM-11-12	3/4" Term. Fitting w/ Square Flange - 3/4" NPT	12/Box	13.7	\$33.25
XR3TRM-16-6	1" Term. Fitting w/ Square Flange - 1" NPT	6/Box	10.8	\$53.72
XR3TRM-20-6	1-1/4" Term. Fitting w/ Square Flange - 1-1/4" NPT	6/Box	8.4	\$109.82
XR3TRM-24-4	1-1/2" Term. Fitting w/ Square Flange - 1-1/2" NPT	6/Box	7.7	\$226.66
XR3TRM-32-4	2" Term. Fitting w/ Square Flange - 2" NPT	4/Box	11.8	\$263.92



**TERMINATION FITTING WITH BRONZE FLANGE**

#### **XR3 TERMINATION FITTING WITH BRONZE FLANGE (FLANGE/ADAPTER/NUT/BUSHING)**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR2TRM-6-12CB	3/8" Term. Fitting w/ Bronze Flange - 1/2" NPT	12/Box	12.2	\$34.15
XR3TRM-8-12CB	1/2" Term. Fitting w/ Bronze Flange - 1/2" NPT	12/Box	10.0	\$44.45
XR3TRM-11-12CB	3/4" Term. Fitting w/ Bronze Flange - 3/4" NPT	12/Box	13.7	\$59.77
XR3TRM-16-6CB	1" Term. Fitting w/ Bronze Flange - 1" NPT	6/Box	10.8	\$91.75
XR3TRM-20-6CB	1-1/4" Term. Fitting w/ Bronze Flange - 1-1/4" NPT	6/Box	14.4	\$123.68
XR3TRM-24-4CB	1-1/2" Term. Fitting w/ Bronze Flange - 1-1/2" NPT	4/Box	13.1	\$226.83



**TERMINATION FITTING NO FLANGE**

#### **XR3 TERMINATION FITTING WITH NO FLANGE (ADAPTER/NUT/BUSHING)**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR2TRM-6-NF-12	3/8" Term. Fitting - 1/2" NPT (no flange)	12/Box	3.2	\$22.21
XR3TRM-8-NF-12	1/2" Term. Fitting - 1/2" NPT (no flange)	12/Box	4.2	\$25.29
XR3TRM-11-NF-12	3/4" Term. Fitting - 3/4" NPT (no flange)	12/Box	6.1	\$28.88
XR3TRM-16-NF-6	1" Term. Fitting - 1" NPT (no flange)	6/Box	4.7	\$47.89
XR3TRM-20-NF-6	1-1/4" Term. Fitting - 1-1/4" NPT (no flange)	6/Box	6.4	\$102.14
XR3TRM-24-NF-4	1-1/2" Term. Fitting - 1-1/2" NPT (no flange)	4/Box	8.9	\$218.14
XR3TRM-32-NF-4	2" Term. Fitting - 2" NPT (no flange)	4/Box	13.9	\$254.88

**Upon ordering, all broken box quantities are subject to a 10% premium.**



**COUPLING**

**XR3 COUPLING FITTINGS**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR2CPL-6-12	3/8" Coupling	12/Box	3.5	\$36.69
XR3CPL-8-12	1/2" Coupling	12/Box	5.8	\$41.77
XR3CPL-16-6	1" Coupling	6/Box	6.7	\$88.89
XR3CPL-20-6	1-1/4" Coupling	6/Box	9.5	\$169.68
XR3CPL-24-4	1-1/2" Coupling	4/Box	12.5	\$344.52
XR3CPL-32-4	2" Coupling	4/Box	18.9	\$362.80

Note: Fitting Components available. Please contact Customer Service for pricing.

**XR3 TERMINATION BRACKET FITTING (BRACKET/ADAPTER/NUT/BUSHING)**



**TERM BRACKET FITTING**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
XR3TRMBKT-8-12	1/2" FlashShield™ Term. Bracket Fitting - 1/2" NPT	12/Box	6.4	\$30.11
XR3TRMBKT-8-12	1/2" FlashShield™ Term. Bracket Fitting - 1/2" NPT	12/Box	6.4	\$30.11
XR3TRMBKT-11-12	3/4" FlashShield™ Term. Bracket Fitting - 3/4" NPT	12/Box	8.4	\$33.25
XR3TRMBKT-16-6	1" FlashShield™ Term. Bracket Fitting - 1" NPT	6/Box	6.9	\$65.82
XR3TRMBKT-20-6	1-1/4" FlashShield™ Term. Bracket Fitting - 1-1/4" NPT	6/Box	8.8	\$124.54
XR3TRMBKT-24-4	1-1/2" Term. Bracket Fitting - 1-1/2" NPT	4/Box	10.0	\$261.78
XR3TRMBKT-32-4	2" Term. Bracket Fitting - 2" NPT	4/Box	15.8	\$328.25

**APPLICATION**

- Straight Fittings connect the flexible gas tubing to gas supply, distribution manifolds or gas appliances.
- Couplings allow for the splicing and additions to the flexible gas tubing.
- Termination Fittings create a fixed point "stub-out" on a wall or floor surface.
- Termination Bracket Fittings provide a secure attachment point for key-valves and as an alternate termination point.

**MATERIAL / SPECIFICATIONS**

- Fitting adapter, bushings and nut – Brass.
- Square Flange – Steel with zinc coating or cast bronze.

**FEATURES AND BENEFITS**

- Metal locking shield to fitting contact for enhanced continuity.
- Tool-less flare design; no special tools are required.
- Metal-to-metal seal, with no split rings, O-rings or gaskets.
- Self-guiding assembly to ensure a perfectly even flare.
- Exclusive, patented Jacket-Lock fitting eliminates exposed stainless steel beyond the nut.
- All components are fully reuseable.

**Upon ordering, all broken box quantities are subject to a 10% premium except the 1-1/2" and 2" products.**



#### MODULAR STUB SYSTEM

Part No.	Description	Pkg. Qty.	Lbs./Box	List Price/Piece
XR3-APSTUB-8-10	1/2" x 1-1/2" Stub Length x 1/2" NPT	10/Box	15.2	\$46.82
XR3-L-APSTUB-8-10	1/2" x 2-1/4" Stub Length x 1/2" NPT	10/Box	13.3	\$47.94
XR3-APSTUB-11-10	3/4" x 1-1/2" Stub Length x 1/2" NPT	10/Box	18.5	\$59.18
XR3-L-APSTUB-11-10	3/4" x 2-1/4" Stub Length x 1/2" NPT	10/Box	19.9	\$60.22
XR3-APSTUB-11-11-10	3/4" x 1-1/2" Stub Length x 3/4" NPT	10/Box	19.8	\$60.48
XR3-L-APSTB-11-11-10	3/4" x 2-1/4" Stub Length x 3/4" NPT	10/Box	21.6	\$61.61
1/2X6STUB-10	1/2" M x 6" L Straight Stub-Out	10/Box	12.2	\$22.45
1/2X12STUB-10	1/2" M x 12" L Straight Stub-Out	10/Box	16.9	\$22.92
3/4X6STUB-10	3/4" M x 6" L Straight Stub-Out	10/Box	14.5	\$22.92
3/4X12STUB-10	3/4" M x 12" L Straight Stub-Out	10/Box	22.9	\$23.39
1X6STUB-10	1" M x 6" L Straight Stub-Out	10/Box	15.3	\$23.85
1X12STUB-10	1" M x 12" L Straight Stub-Out	10/Box	24.1	\$24.73
1-1/4X6STUB-10	1-1/4" M x 6" L Straight Stub-Out	10/Box	18.0	\$30.94
1-1/4X12STUB-10	1-1/4" M x 12" L Straight Stub-Out	10/Box	27.0	\$33.54
1-1/2X6STUB-10	1-1/2" M x 6" L Straight Stub-Out	10/Box	21.0	\$37.70
1-1/2X12STUB-10	1-1/2" M x 12" L Straight Stub-Out	10/Box	32.0	\$38.93
DBLSTUB-1-10	Double Appliance Stub-Out 3/4" inlet x 1/2" & 3/4" outlet	10/Box	26.0	\$49.83
DECKSTUB-1/2x3-10	1/2" x 3" Bracket Stub-Out	10/Box	8.7	\$23.37
ANGLE-STUB-01-10	1/2" M x 4-1/2" L x 72.5° Angle Stub	10/Box	11.0	\$24.00
STUB-BRACE	Stub Bracket (optional) – Fits All	1 Ea.	1.8	\$19.82

#### APPLICATION

- All Stubs create a fixed point “stub-out” on a wall or floor surface for meter and appliance attachment.
- Angle Stub-Out mounting plate provided at a 72-1/2° angle to facilitate mounting to angled side of most fireplace inserts.

#### MATERIAL / SPECIFICATION

- Schedule 40 steel pipe complying with material standard ASTM A-53.
- Exterior plating – Black oxide coating after all threading, forming and welding.

#### FEATURES AND BENEFITS

- Reduces the number of joints in the system where contractors typically fabricate “stub-outs” from rigid pipe nipples, elbows and couplings.
- Provides a fixed-point termination for installations where the appliances are not yet installed.
- Creates a more polished look to the overall installation.

#### MULTI-PORT MANIFOLDS

Part No.	Description	Pkg. Qty.	Lbs.	List Price/Piece
3-PORTMAN	Cast 3 port – 3/4" F x 3 @ 1/2" F x 1/2" F	1 Ea.	1.5	\$46.78
3-PORTMAN-1	Cast 3 port – 1/2" x 3 @ 1/2" F x 1/2" F	1 Ea.	1.5	\$46.78
4-PORTMAN-10	Cast 4 port – 3/4" F x 4 @ 1/2" F x 1/2" F	10/Box	20.0	\$51.45
5-PORTMAN	Cast 5 port – 3/4" F x 1 @ 3/4" F x 4 @ 1/2" F x 1/2" F	1 Ea.	2.2	\$61.03
5-PORTMAN-1	Cast 5 port – 1" F x 1 @ 3/4" F x 4 @ 1/2" F x 3/4" F	1 Ea.	2.5	\$64.35
5-PORTMAN-2	Cast 5 port – 1-1/4" F x 5 @ 3/4" F x 1" F	1 Ea.	6.7	\$81.05
5-PORTMAN-3	Cast 5 port – 1-1/4" F x 5 @ 1/2" F x 1" F	1 Ea.	5.7	\$81.05
4-PORTMAN-2	Cast 4 port – 1-1/2" F x 4 @ 3/4" F x 1-1/2" F	1 Ea.	7.2	\$98.97
4-PORTMAN-3	Cast 4 port – 2" F x 4 @ 1" F x 1-1/2" F	1 Ea.	8.6	\$105.48
111596-08	Coated Steel 4 Port – 3/4" F x 4 @ 1/2" F x 3/4" M	1 Ea.	1.9	\$117.55

#### APPLICATION

- Provides central distribution point for individual runs to each appliance.

#### MATERIAL / SPECIFICATION

- Coated 4 Port – Welded IPS Schedule 40 pipe.
- Cast 3, 4, and 5 Port – ASTM A536 Ductile Iron.

**Upon ordering, all broken box quantities are subject to a 10% premium except the 1-1/2" and 2" products.**



**TERMINATION BRACKET**



**MANIFOLD BRACKET**



**XR3 OUTLET BOX**

<b>MOUNTING HARDWARE</b>			
<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Ea.</b>
			<b>List Price/Piece</b>
LBRACE-1-20	Term. Fitting Mounting Kit – Fits 3/8" - 1" CSST	20/Box	9.0
MBRACE-1-10	Manifold Mounting Kit – Fits all manifolds	10/Box	16.0
MBRACE-3-10	Manifold Mounting Kit – See below for mounting options	10/Box	16.0
			\$5.71
			\$20.24
			\$24.19

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Box</b>
MSTRAPS-6-250	Metal Tubing Strap – Fits 3/8" CSST	250/Box	4.1	\$32.50
MSTRAPS-8-250	Metal Tubing Strap – Fits 1/2" CSST	250/Box	4.6	\$35.00
MSTRAPS-11-150	Metal Tubing Strap – Fits 3/4" CSST	150/Box	3.1	\$27.00
MSTRAPS-16-100	Metal Tubing Strap – Fits 1" CSST	100/Box	3.7	\$25.00
MSTRAPS-20-50	Metal Tubing Strap – Fits 1-1/4" CSST	50/Box	3.0	\$35.00
MSTRAPS-24-50	Metal Tubing Strap – Fits 1-1/2" CSST	50/Box	4.5	\$36.00
MSTRAPS-32-25	Metal Tubing Strap – Fits 2" CSST	25/Box	2.5	\$30.25

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Kit</b>	<b>List Price/Kit</b>
XR3OUTLETBOX-8	Recessed gas outlet box kit with 1/2" XR3 Fitting	1 Kit	1.5	\$66.08
XR3OUTLETBOX-11	Recessed gas outlet box kit with 3/4" XR3 Fitting	1 Kit	2.2	\$93.68
XR3OUTLETBOX-FR8	Firestop gas outlet box kit with 1/2" XR3 Fitting	1 Kit	3.8	\$138.90
XR3OUTLETBOX-FR11	Firestop gas outlet box kit with 3/4" XR3 Fitting	1 Kit	4.1	\$151.32

#### APPLICATION

- Termination Bracket provides mounting surface for termination fitting assembly.
- Manifold Bracket provides mounting platform for manifolds, supplied with adhesive port labeling.
- Gas Load Center creates a recessed cabinet for a more polished look to manifold assembly.
- XR3OUTLETBOX creates a secure recessed termination point for connection to moveable appliances.

#### MATERIAL / SPECIFICATION

- Termination Bracket – 16 gauge galvanized sheet metal.
- MBRACE-1 Mounting Kit made of 16 gauge galvanized sheet metal.
  - Fits 3-PORTMAN, 3-PORTMAN-1, 4-PORTMAN, 5-PORTMAN and 111596-08.
- MBRACE-3 Mounting Kit made of 14 gauge galvanized sheet metal.
  - Fits 5-PORTMAN-1, 5-PORTMAN-2, 5-PORTMAN-3 and 4-PORTMAN-2.
- 4-PORTMAN-3 requires installer supplied mounting brackets.
- Gas Load Center – 20 gauge steel with a white, polyester powder coat finish.
- Metal Tubing Straps – 22, 20 or 18 gauge sheet metal, depending on size.
- XR3OUTLETBOX – Ball Valve ANSI Z21.15 or ANSI/ASME B16.33.

#### PIPE SUPPORT SYSTEM

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Ea.</b>	<b>List Price/Piece</b>
RB0-10-4	Rubber Support Block (10"L x 4"H)	1 Ea.	4.9	\$33.55
RB1-10-5	Rubber Support Block w/ 7/8" Galv Steel Channel (10"L x 5"H)	1 Ea.	6.0	\$62.93
RB1-29-5	Rubber Support Block w/ 7/8" Galv Steel Channel (29"L x 5"H)	1 Ea.	18.0	\$188.78
RB2-10-12	Rubber Support Block w/Adj height 7/8" Galv Steel Channel (10"L x 5"-12"H)	1 Ea.	7.7	\$138.78




#### APPLICATION

- Effectively anchors and supports lightweight FlashShield™ CSST, as well as other fuel gas piping materials to any roofing membrane.

#### MATERIAL / SPECIFICATIONS

- Made of 100% recycled material, UV resistant and waterproof.
- Will not damage expensive roof membranes.
- Installs on any roof with or without standard roof adhesives.

**Upon ordering, all broken box quantities are subject to a 10% premium except the 1-1/2" and 2" products.**



**STRIKER PLATES**



**STEEL CONDUIT**



**BONDING CLAMP**



**BALL VALVE**



**90 DEGREE BALL VALVE**



**STAINLESS STEEL &  
PVC QUICK  
CONNECT BOXES**

<b>PROTECTION DEVICES – STRIKER PLATES &amp; SILICONE TAPE</b>			
<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>
TFM204-100	Quarter Striker Plate – 3" x 2"	100/Box	8.0
TFM201-50	Half Striker Plate – 3" x 7"	50/Box	15.5
TFM203-50	Three-Quarter Striker Plate – 3" x 8"	50/Box	20.0
TFM205-25	Full Striker Plate – 3" x 12"	25/Box	13.8
TFM210-10	6" x 17" Striker Plate	10/Box	19.0
TFM211-25	Full (Drop-in) Striker Plate - 1/2" & 3/4" CSST	25/Box	11.0
TFM212-25	Full (Drop-in) Striker Plate - 1" & 1-1/4" CSST	25/Box	16.0
SIL-TAPE	Self Bonding Silicone Yellow Tape – 1" x .015" x 12 yd / roll	1 Ea.	0.3
SIL-TAPE-B	Self Bonding Silicone Black Tape – 1" x .015" x 12 yd / roll	1 Ea.	0.3

#### **PROTECTION DEVICES – STEEL CONDUIT COILS**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Coil</b>	<b>List Price/Coil</b>
FLOPPY12	3/4" Coil steel conduit – Fits 3/8" CSST	50 Ft/Coil	8.4	\$110.24
FLOPPY16	1" Coil steel conduit – Fits 1/2" CSST	50 Ft/Coil	13.1	\$162.45
FLOPPY20	1-1/4" Coil steel conduit – Fits 3/4" CSST	25 Ft/Coil	11.0	\$118.32
FLOPPY24	1-1/2" Coil steel conduit – Fits 1" CSST	25 Ft/Coil	13.1	\$148.32
FLOPPY28	1-3/4" Coil steel conduit – Fits 1-1/4" CSST	25 Ft/Coil	16.5	\$163.79
FLOPPY36	2-1/4" Coil steel conduit – Fits 1-1/2" CSST	25 Ft/Coil	28.2	\$223.46
FLOPPY48	3" Coil steel conduit – Fits 2" CSST	25 Ft/Coil	36.0	\$341.26

#### **PROTECTION DEVICES – STEEL CONDUIT COILS**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Box</b>
LFLOPPY-12-50	3/4" – Cut to 1 foot length – Fits 3/8" CSST	50/Box	9.3	\$167.00
LFLOPPY-16-50	1" – Cut to 1 foot length – Fits 1/2" CSST	50/Box	19.0	\$215.00
LFLOPPY-20-25	1-1/4" – Cut to 1 foot length – Fits 3/4" CSST	25/Box	11.8	\$183.75
LFLOPPY-24-25	1-1/2" – Cut to 1 foot length – Fits 1" CSST	25/Box	14.4	\$212.00
LFLOPPY-28-25	1-3/4" – Cut to 1 foot length – Fits 1-1/4" CSST	25/Box	17.0	\$234.00
LFLOPPY-36-25	2-1/4" – Cut to 1 foot length – Fits 1-1/2" CSST	25/Box	28.8	\$324.00

#### **BONDING CLAMPS**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Bag</b>	<b>List Price/Piece</b>
CWP1JSH	Bonding Clamp for 3/8" and 1/2" Fittings	1 Ea.	0.16	\$9.89
CWP2JSH	Bonding Clamp for 3/4", 1" and 1-1/4" Fittings	1 Ea.	0.34	\$27.55
CWP3JSH	Bonding Clamp for 1-1/2" and 2" Fittings	1 Ea.	1.02	\$84.20

- Bonding clamps are listed to UL467 for use on Gastite hex fittings

#### **APPLICATION**

- Striker plates used for protection where flexible gas piping passes through structural members and is restricted from moving to avoid nails, screws and other potential puncture threats.
- Steel conduit is used to provide additional protection where striker plates cannot be easily installed.

#### **MATERIAL / SPECIFICATION**

- Striker Plates – 16 gauge AISI1050 Carbon Steel Hardened to Rc 45.
- Steel Conduit – Strip wound interlocking steel.

#### **SHUT-OFF VALVES**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Box</b>	<b>List Price/Piece</b>
T100-1/2-20	1/2" Ball Valve rated to 125 PSI	20/Box	10.0	\$19.38
T100-3/4-10	3/4" Ball Valve rated to 125 PSI	10/Box	8.0	\$23.71
T100-1-1/4-5	1-1/4" Ball Valve rated to 125 PSI	5/Box	11.0	\$59.57
T90-1/2-10	1/2" 90 Degree Shut-Off Valve	10/Box	4.6	\$34.44
T90-3/4-10	3/4" 90 Degree Shut-Off Valve	10/Box	7.7	\$41.33

#### **QUICK CONNECT AND ACCESSORIES**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Ea.</b>	<b>List Price/Piece</b>
T103029	1/2" Quick Connect Valve	1 Ea.	1.0	\$114.60
OUTFLEX-3/8	Outdoor Flex Connector – 3/8" NPT x 12'	1 Ea.	2.4	\$76.40
QCBOXPW	1/2" Quick Connect Box White PVC - Surface Mounted	1 Ea.	1.6	\$214.48
QCBOXPW	1/2" Quick Connect Box Gray PVC - Surface Mounted	1 Ea.	1.6	\$214.48
QCBOXSS	1/2" Quick Connect PVC Box, Stainless Steel Door - Recess Mounted	1 Ea.	2.3	\$307.64

#### **APPLICATION**

- Ball Valves are used to control gas flow to appliances and pounds-to-inches regulator.
- Quick Connect valve and accessories provide a safe and easy "quick-connect" for barbecue grills, space heaters and decorative lighting.

#### **MATERIAL / SPECIFICATION**

- Ball Valve - ANSI/ASME B16.33.
- Quick Connect and Accessories – ANSI Z21.15, CAN 9.1,9.2, 6.9 and AGA/CGA 7-90/CR94-001.

**Upon ordering, all broken box quantities are subject to a 10% premium except the 1-1/2" and 2" products.**



**TUBING CUTTERS**

<b>Part No.</b>	<b>Description</b>
GTCUTTER-SM	Yellow Cutter with flat rollers - 3/8" - 1" FlashShield CSST
GTCUTTER-SM-2	FlashShield Cutter with flat rollers - 3/8" - 1" FlashShield CSST
GTCUTTER-LG	Yellow Cutter with flat rollers - Up to 1-1/2" FlashShield CSST
GTCUTTER-LG2	FlashShield Cutter with flat rollers - Up to 2" FlashShield CSST
GTBLADE-SM-2	Replacement blade for GTCUTTER-SM-2 (19 mm diam.)
GTBLADE-SM-5	Replacement blade for GTCUTTER-SM (19 mm diam.)
GTBLADE-LG-5	Replacement blade for GTCUTTER-LG (25 mm diam.)
GTBLADE-LG2-5	Replacement blade for GTCUTTER-LG2 (30 mm diam.)



**JACKET STRIPPING TOOL**

<b>Part No.</b>	<b>Description</b>
STRP3-8-24	1/2" Jacket Stripper
STRP3-11-24	3/4" Jacket Stripper
STRP3-16-24	1" Jacket Stripper
STRP3-20-24	1-1/4" Jacket Stripper
STRP3-24-12	1-1/2" Jacket Stripper
STRP3-32-12	2" Jacket Stripper

**APPLICATION**

- Tubing Cutters, fitted with cutting wheel designed to cut stainless steel, create clean cuts for optimal flaring of tubing.
- Jacket Stripping Tool for cutting and removal of CSST jacket. Allows for clean, quick and proper fitting assembly.

**MATERIAL / SPECIFICATION**

- Tubbing Cutters, aluminum alloy body.
- Jacket Stripping Tool, plastic body.



**MAXITROL REGULATORS**

<b>Part No.</b>	<b>Description</b>
T325-3-44	250 MBTU of NG @ 8"WC with 1/2" NPT inlet/outlet
T325-3-44P	355 MBTU of LP @ 11"WC with 1/2" NPT inlet/outlet
T325-5-2	425 MBTU of NG @ 8"WC with 1/2" NPT inlet/outlet
T325-5-44	600 MBTU of NG @ 8"WC with 3/4" NPT inlet/outlet
T325-5-44P	918 MBTU of LP @ 11"WC with 3/4" NPT inlet/outlet
T325-5-3	600 MBTU of NG @ 8"WC with 1" NPT inlet/outlet
T325-5-3P	810 MBTU of LP @ 11"WC with 1" NPT inlet/outlet
T325-7AL-NG01	1,250 MBTU of NG @ 8"WC with 1-1/4" NPT inlet/outlet with vent limiter
T325-3L48	200 MBTU of NG @ 8"WC with 1/2" NPT inlet/outlet & OPD
T325-5AL600	425 MBTU of NG @ 8"WC with 3/4" NPT inlet/outlet & OPD
T325-7L-210D*	1,250 MBTU of NG @ 8"WC with 1-1/4" NPT inlet/outlet & OPD



**MAXITROL REGULATORS WITH OPD**

<b>Part No.</b>	<b>Description</b>
30051-NG	635 MBTU of NG @ 8"WC with 1/2" NPT inlet/outlet
30052-NG	848 MBTU of NG @ 8"WC with 3/4" NPT inlet/outlet
30053-NG	1,059 MBTU of NG @ 8"WC with 1" NPT inlet/outlet
30153-NG	5,297 MBTU of NG @ 8"WC with 1-1/4" NPT inlet/outlet
30052-LP	1,285 MBTU of LP @ 11"WC with 3/4" NPT inlet/outlet



**PIETRO REGULATORS**

<b>Part No.</b>	<b>Description</b>
REG8-300	250 MBTU of NG @ 8"WC with 1/2" NPT inlet/outlet
REG11-300	355 MBTU of LP @ 11"WC with 1/2" NPT inlet/outlet
REG8-600	550 MBTU of NG @ 8"WC with 3/4" NPT inlet/outlet
REG11-600	810 MBTU of LP @ 11"WC with 3/4" NPT inlet/outlet
VP3	Outdoor Vent Protector (325-3), 1/8" NPT
VP5	Outdoor Vent Protector (325-5), 3/8" NPT
VLP-3	Vent Line Protector for end termination



**OARA REGULATORS**

\* **Vent limiters not available.** Note: Pipe thread size should never be used to determine regulator sizing.  
Please refer to the Gastite Design and Installation Guide for proper regulator selection.

**APPLICATION**

- For use in elevated pressure systems (in excess of 1/2 PSI) to reduce pressure to standard appliance use levels.
- Outdoor vent protector is used when vent-limiting orifice is removed for outdoor installation of regulator.

**MATERIAL / SPECIFICATION**

- 2 PSI inlet pressure line models available in 8"WC and 11"WC outlet pressures.



<b>Part No.</b>
EPAL-1-100
EPMT-1-100

<b>Part No.</b>	<b>Description</b>
EPAL-1-100	Adhesive Labels for elevated pressure identification
EPMT-1-100	Metal Tags for Uniform Plumbing Code compliance

**SYSTEM IDENTIFICATION**

<b>Pkg. Qty.</b>	<b>Lbs./EA.</b>	<b>List Price/Roll-Pkg</b>
100/Roll	0.1	\$33.67
100/Pkg.	0.5	\$105.22

**METAL TAG**



# UNDERGROUND GAS POLYETHYLENE (PE) PIPING

## FEATURING THE CON-STAB I.D. SEAL® FITTINGS FROM CONTINENTAL INDUSTRIES, INC.



### UNDERGROUND GAS PIPING SOLUTION

Unlike above-grade gas piping installations that require metallic piping, underground systems need to perform in harsh and corrosive environments. Metallic pipe installed underground requires additional and costly materials to protect the pipe. Polyethylene gas piping systems are specifically engineered and certified for the underground environment.

To provide a true underground gas piping solution, Gastite® has partnered with Continental Industries, Inc. to bring you Con-Stab I.D. Seal®, fittings, anode-less risers and polyethylene tubing (PE).

These components assemble in minutes to form a complete underground gas piping system, which offers the flexibility and simple fitting assembly you have come to expect from Gastite®.

### CON-STAB I.D. SEAL® FEATURES AND BENEFITS

- Cost effective joining method.
- Simple assembly.
- No additional assembly equipment required for installation – just chamfer and push.

- Expanded product line with various configurations and material options.
- Uni-body design eliminating all external parts.
- Designed, tested and certified for direct burial.
- Eliminates corrosive threats associated with metallic piping.
- Lowest installed cost compared to other underground gas piping materials.
- Continuous lengths of flexible piping.

### CON-STAB I.D. SEAL® SYSTEM CODE SPECIFICATIONS (MEETS OR EXCEEDS)

- NFPA-58 and NFPA-54
- ASTM D-2513, Category 1
- ASME D-B31.8-1995
- CAN/CSA-B137.4
- Listed with CSA
- Listed with IAPMO/UPC
- US DOT Part 192.283
- ISO 4437

Con-Stab I.D. Seal® is a registered trademark of Continental Industries, Inc.



## IRON PIPE SIZE (IPS) TUBING, ANODELESS RISERS AND FITTINGS



**PE TUBING**



**FLEX RISER**



**GAS RISER**



**TRANSITION FITTING**



**COUPLING**



**REDUCING TEE**



**TAPPING TEE**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs./Coil/Ea.</b>	<b>List Price Per Ft./Piece</b>
PE-12-250	3/4" IPS (SDR-11) – PE Tubing (30" ID x 45" OD)	250 ft./coil	31.0	\$1.17
PE-12-125	3/4" IPS (SDR-11) – PE Tubing (24" ID x 35" OD)	125 ft./coil	15.0	\$1.34
PE-12-500	3/4" IPS (SDR-11) – PE Tubing (30" ID x 42" OD)	500 ft./coil	60.0	\$1.07
 <b>PE TUBING</b>				
PE-16-250-IPS	1" IPS (SDR-11) – PE Tubing (30" ID x 45" OD)	250 ft./coil	47.5	\$1.82
PE-16-125-IPS	1" IPS (SDR-11) – PE Tubing (25" ID x 34" OD)	125 ft./coil	23.8	\$2.10
PE-16-500-IPS	1" IPS (SDR-11) – PE Tubing (31" ID x 45" OD)	500 ft./coil	95.0	\$1.58
 <b>FLEX RISER</b>				
PE-20-250	1-1/4" IPS (SDR-10) – PE Tubing (48" ID x 64" OD)	250 ft./coil	82.5	\$3.14
PE-20-125	1-1/4" IPS (SDR-10) – PE Tubing (48" ID x 58" OD)	125 ft./coil	41.3	\$3.61
PE-20-500	1-1/4" IPS (SDR-10) – PE Tubing (48" ID x 72" OD)	500 ft./coil	165.0	\$2.87
 <b>GAS RISER</b>				
PE-24-250*	1-1/2" IPS (SDR-11) PE Tubing (45"ID x 65 OD)	250 ft./coil	103.0	\$4.55
PE-24-125*	1-1/2" IPS (SDR-11) PE Tubing (45"ID x 65 OD)	125 ft./coil	51.5	\$5.22
PE-32-250*	2" IPS (SDR-11) - PE Tubing (51" ID x 78" OD)	250 ft./coil	157.5	\$4.91

**\*1-1/2" and 2" PE Tubing only: Shipping Shall Be Prepaid and Add or Collect.**

 <b>TRANSITION FITTING</b>	RISER-12-30	3/4" IPS x 30" Vertical x 3/4" NPT – Riser w/Con-Stab Cplg.	1 Ea.	7.0	\$174.39
	RISER-16-30-IPS	1" IPS x 30" Vertical x 1" NPT – Riser w/Con-Stab Cplg.	1 Ea.	8.0	\$191.11
	RISER-20-30	1-1/4" IPS x 30" Vertical x 1-1/4" NPT – Riser w/Con-Stab Cplg.	1 Ea.	15.0	\$273.16
	RISER-24-36	1-1/2" IPS x 36" Vertical x 1-1/2" NPT – Riser w/Con-Stab Cplg.	1 Ea.	17.0	\$554.19
	RISER-32-36	2" IPS x 36" Vertical x 2" NPT – Riser w/Con-Stab Cplg.	1 Ea.	19.0	\$605.58
	F-RISER-12-36	Flex Riser - 3/4" IPS x 36" x 3/4" NPT	1 Ea.	4.0	\$105.00
	F-RISER-12-72	Flex Riser - 3/4" IPS x 72" x 3/4" NPT	1 Ea.	6.1	\$167.06
 <b>COUPLING</b>	TRANS-12	3/4" IPS x 3/4" NPT Transition Fitting	1 Ea.	1.1	\$119.28
	TRANS-16-IPS	1" IPS x 1" NPT Transition Fitting	1 Ea.	1.8	\$197.78
	TRANS-20	1-1/4" IPS x 1-1/4" NPT Transition Fitting	1 Ea.	2.5	\$268.25
	TRANS-24	1-1/2" IPS x 1-1/2" NPT-Transition Fitting	1 Ea.	3.9	\$342.14
	TRANS-32	2" IPS x 2" NPT Transition Fitting	1 Ea.	3.3	\$388.44
 <b>REDUCING TEE</b>	PECPL-12	3/4" IPS Coupling	1 Ea.	0.5	\$49.32
	PECPL-12-16-IPS	3/4" IPS x 1" IPS Reducer Coupling	1 Ea.	0.7	\$239.43
	PECPL-12-20	3/4" IPS x 1-1/4" IPS Reducer Coupling	1 Ea.	2.0	\$186.61
	PECPL-16-IPS	1" IPS Coupling	1 Ea.	0.8	\$86.30
	PECPL-16-IPS-20	1" IPS x 1-1/4" Reducer Coupling	1 Ea.	1.7	\$244.18
	PECPL-16-IPS-32	1" IPS x 2" IPS Reducer Coupling	1 Ea.	3.1	\$374.89
	PECPL-20	1-1/4" IPS Coupling	1 Ea.	2.0	\$200.22
	PECPL-20-32	1-1/4" IPS x 2" IPS Reducer Coupling	1 Ea.	3.5	\$511.37
	PECPL-24	1-1/2" IPS Coupling	1 Ea.	1.7	\$262.24
	PECPL-24-20	1-1/2" IPS x 1-1/4" IPS Reducer Coupling	1 Ea.	2.3	\$523.69
	PECPL-32	2" IPS Coupling	1 Ea.	4.0	\$295.82
	PE90CPL-12	3/4" IPS 90 Degree Coupling	1 Ea.	1.0	\$167.44
	PERCPL-12	3/4" IPS Repair Coupling	1 Ea.	0.8	\$126.40
 <b>TAPPING TEE</b>	PET-12	3/4" IPS Tee Fitting	1 Ea.	1.2	\$213.83
	PET-16-IPS	1" IPS Tee Fitting	1 Ea.	2.4	\$383.01
	PET-20	1-1/4" IPS Tee Fitting	1 Ea.	4.5	\$479.99
	PET-24	1-1/2" IPS Tee Fitting	1 Ea.	4.2	\$696.95
	PET-32	2" IPS Tee Fitting	1 Ea.	9.0	\$952.99
	PERT-16-16-12	1" IPS x 1" IPS x 3/4" IPS Reducer Tee	1 Ea.	2.5	\$531.27
	PERT-20-20-12	1-1/4" IPS x 1-1/4" IPS x 3/4" IPS Reducer Tee	1 Ea.	3.3	\$480.90
	PERT-20-20-16-IPS	1-1/4" IPS x 1-1/4" IPS x 1" IPS Reducer Tee	1 Ea.	4.0	\$574.90
	PERT-24-24-20	1-1/2" IPS x 1-1/2" IPS x 1-1/4" IPS Reducer Tee	1 Ea.	4.3	\$625.10
	PERT-32-32-12	2" IPS x 2" IPS x 3/4" IPS Reducer Tee	1 Ea.	5.0	\$870.70
	PERT-32-32-16-IPS	2" IPS x 2" IPS x 1" IPS Reducer Tee	1 Ea.	5.0	\$817.54
	PERT-32-32-20	2" IPS x 2" IPS x 1-1/4" IPS Reducer Tee	1 Ea.	5.0	\$824.65
	TAP-20-12	1-1/4" IPS x 3/4" IPS Mechanical Tapping Tee	1 Ea.	2.5	\$286.17
	TAP-20-16-IPS	1-1/4" IPS x 1" IPS Mechanical Tapping Tee	1 Ea.	2.5	\$410.19
	TAP-32-16-IPS	2" IPS x 1" IPS Mechanical Tapping Tee	1 Ea.	2.1	\$251.62

### IMPORTANT

All PE Tubing Requires I.D. Chamfer Prior to Installation of Any Adapter.

## COPPER TUBE SIZE (CTS) TUBING, ANODELESS RISERS AND FITTINGS

**Choose PE Tubing and Components from this section for flow rates that correspond with Copper Tubing.**



**PE TUBING**

Part No.	Description	Pkg. Qty.	Lbs./Coil/Ea.	List Price Per Ft./Piece
PE-8-250	1/2" CTS (SDR-7) – PE Tubing (26"ID x 36" OD)	250 ft./coil	17.5	\$0.74
PE-8-125	1/2" CTS (SDR-7) – PE Tubing (24" ID x 31" OD)	125 ft./coil	8.8	\$1.06
PE-8-500	1/2" CTS (SDR-7) – PE Tubing (30" ID x 38" OD)	500 ft./coil	35.0	\$0.65

PE-16-250	1" CTS (SDR-11.5) – PE Tubing (25"ID x 45" OD)	250 ft./coil	35.0	\$1.34
PE-16-125	1" CTS (SDR-11.5) – PE Tubing (24" ID x 35" OD)	125 ft./coil	17.5	\$1.55
PE-16-500	1" CTS (SDR-11.5) – PE Tubing (30" ID x 44" OD)	500 ft./coil	70.0	\$1.22



**FLEX RISER**

RISER-8-18	1/2" CTS x 18" Vertical x 3/4" NPT Riser w/Con-Stab Cplg.	1 Ea.	3.5	\$85.35
RISER-8-30	1/2" CTS x 30" Vertical x 3/4" NPT Riser w/Con-Stab Cplg.	1 Ea.	5.0	\$113.73
RISER-16-30	1" CTS x 30" Vertical x 3/4" NPT Riser w/Con-Stab Cplg.	1 Ea.	8.0	\$160.28
RISER-16-16-30	1" CTS x 30" Vertical x 1" IPS MPT Riser w/Con-Stab Cplg.	1 Ea.	8.0	\$160.28
F-RISER-8-36	Flex Riser - 1/2" CTS x 36" x 3/4" NPT	1 Ea.	1.8	\$89.91
F-RISER-8-72	Flex Riser - 1/2" CTS x 72" x 3/4" NPT	1 Ea.	3.1	\$133.65



**GAS RISER**

TRANS-8	1/2" CTS x 1/2" NPT Transition Fitting	1 Ea.	0.9	\$87.21
TRANS-16	1" CTS x 1" NPT Transition Fitting	1 Ea.	1.4	\$117.22
PECPL-8	1/2" CTS Coupling	1 Ea.	0.2	\$36.29
PECPL-16	1" CTS Coupling	1 Ea.	0.5	\$51.79
PECPL-8-16	1/2" CTS x 1" CTS Reducer Coupling	1 Ea.	0.5	\$110.74
PE90CPL-8	1/2" CTS 90 Degree Coupling	1 Ea.	0.4	\$119.28
PERCPL-8	1/2" CTS Repair Coupling	1 Ea.	0.4	\$66.62
CUCPL-3/8	1/2" CTS x 3/8" Copper to Coupling	1 Ea.	0.3	\$87.37
CUCPL-1/2	1/2" CTS x 1/2" Copper to Coupling	1 Ea.	0.3	\$92.66
PET-8	1/2" CTS Tee Fitting	1 Ea.	0.5	\$127.70
PET-16	1" CTS Tee Fitting	1 Ea.	1.1	\$206.50

**COPPER COUPLING**



**COUPLING**

IPS / CTS Combination Fittings				
Part No.	Description	Pkg. Qty.	Lbs./Ea.	List Price/Piece
PECPL-8-12	1/2" CTS x 3/4" IPS Reducer Coupling	1 Ea.	0.4	\$131.50
PECPL-8-16-IPS	1/2" CTS x 1" IPS Reducer Coupling	1 Ea.	0.8	\$242.83
PECPL-16-16-IPS	1" CTS x 1" IPS Reducer Coupling	1 Ea.	0.8	\$215.04
PERT-12-12-8	3/4" IPS x 3/4" IPS x 1/2" CTS Reducer Tee	1 Ea.	1.1	\$247.67
PERT-16-16-8	1" CTS x 1" CTS x 1/2" CTS Reducer Tee	1 Ea.	2.3	\$515.60
PERT-20-20-16	1-1/4" IPS x 1-1/4" IPS x 1" CTS Reducer Tee	1 Ea.	4.0	\$457.99
TAP-20-8	1-1/4" IPS Tap x 1/2" CTS Mechanical Tapping Tee	1 Ea.	2.0	\$188.36
TAP-20-16	1-1/4" IPS x 1" CTS Mechanical Tapping Tee	1 Ea.	2.5	\$203.71
TAP-32-8	2" IPS Tap x 1/2" CTS Mechanical Tapping Tee	1 Ea.	1.9	\$188.36
TAP-32-16	2" IPS x 1" CTS Mechanical Tapping Tee	1 Ea.	2.1	\$203.71



**90° COUPLING**



**REDUCING COUPLING**



**TEE FITTING**

### IMPORTANT

All PE Tubing Requires I.D. Chamfer Prior to Installation of Any Adapter.

**Upon ordering, all broken box quantities are subject to a 10% premium except the 1-1/2" and 2" products.**

#### TOOLS AND ACCESSORIES



**MAGNETIC TAPE**



**RISER BRACKET**



**I.D.  
CHAMFERING TOOL**

<b>Part No.</b>	<b>Description</b>	<b>Pkg. Qty.</b>	<b>Lbs.</b>	<b>List Price/Pkg./Ea.</b>
MAG-TAPE	Magnetic Tape – 2" x 1,000 ft. roll	1 Ea.	1.0	\$109.08
RBRACE-1	Riser Bracket – Up to 1-1/2"	1 Ea.	4.0	\$67.32
CHTOOL-8-16	1/2" CTS x 1" CTS Chamfering Tool	1 Ea.	0.5	\$46.75
CHTOOL-20	1-1/4" IPS Chamfering Tool	1 Ea.	0.5	\$35.06
CHTOOL-12-16IPS	3/4" IPS x 1" IPS Chamfering Tool	1 Ea.	0.3	\$54.93
CHTOOL-24	1-1/2" IPS Chamfering Tool	1 Ea.	0.6	\$68.95
CHTOOL-32	2" IPS Chamfering Tool	1 Ea.	0.7	\$68.95
PECUTTER	PE Cutter – Up to 1-1/4"	1 Ea.	0.3	\$49.80
PECUTTER-32	PE Cutter – Up to 2"	1 Ea.	2.5	\$385.22
PEBLADE	Replacement Blade for PECUTTER	1 Ea.	0.1	\$20.57
PEBLADE-32	Replacement Blade for PECUTTER-32	1 Ea.	0.5	\$159.55

#### **IMPORTANT**

All PE Tubing Requires I.D. Chamfer Prior to Installation of Any Adapter.

#### **CONTACT INFORMATION**

GASTITE CUSTOMER SERVICE - PHONE	800-662-0208
GASTITE CUSTOMER SERVICE - FAX	615-325-9407
GASTITE CUSTOMER SERVICE - E-MAIL	gastite@gastite.com
GASTITE WEB SITE	www.gastite.com

**WARRANTY**  
**GASTITE® FLEXIBLE GAS PIPING SYSTEM**  
**FLASHSHIELD™ FLEXIBLE GAS PIPING SYSTEM**

Gastite Division warrants its products to be free from any defect of workmanship and material. Should any such defects be discovered, the questionable product must be returned to Gastite Division. If, upon inspection, the part proves to be defective, Gastite Division will furnish a replacement, or, at its option, repair the part.

This warranty shall not apply to any part or parts of the Gastite®/FlashShield™ Flexible Gas Piping System product if it has been installed, altered, repaired or misused, through negligence or otherwise, in a way that in the opinion of Gastite Division affects the reliability of, or detracts from, the performance of the product. Nor does this warranty cover replacements or repairs necessitated by loss or damage resulting from any cause beyond the control of Gastite Division, including but not limited to, acts of God, acts of government, floods and fires.

The obligation of Gastite Division under this warranty is limited, at Gastite Division's discretion, to 1) making a replacement part available, 2) the repair of the defective part, or 3) refund of purchase price. This does not include the furnishing of any labor involved or connected therewith, such as that required to diagnose trouble or to remove or install any such product, nor does it include responsibility for any transportation expenses or any damages or losses incurred in transportation in connection therewith.

THE FOREGOING IS IN LIEU OF ANY OTHER WARRANTIES EXPRESSED, IMPLIED OR STATUTORY, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTY OF MERCHANTABILITY, AND GASTITE DIVISION NEITHER ASSUMES NOR AUTHORIZES ANY PERSON TO ASSUME FOR GASTITE DIVISION ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH THE SALE OF ITS PRODUCTS.

**INSTALLATION REQUIREMENTS**

1. Installation must be performed strictly in accordance with local plumbing and/or building codes, and in accordance with Gastite®/FlashShield™ Design and Installation Guide.
2. Installation must be performed by an installer who has successfully completed a training program recognized by Gastite Division and has been issued a Certification Card.
3. Pressure testing must be performed during rough construction with piping system exposed.
4. Gastite Division assumes no responsibility for product or labor for any system which has been improperly installed.





### Gastite Division, Titeflex Corporation

1116 Vaughn Parkway

Portland, TN 37148

Toll Free: 800.662.0208

Fax: 615.325.9407

E-mail: [gastite@gastite.com](mailto:gastite@gastite.com)

[www.gastite.com](http://www.gastite.com)

